

USER CHARGE SELF MONITORING REPORT

NAME:	CORAL DYEING & FINISHII	NG CORP.	JAN Z	7 2009
ADDRESS: 5	555 EAST 31ST STREET	PATERSON	NJ 07509	
ACILITY LOCATION: 5	555 EAST 31ST STREET	PATERSON	NJ 07509	and District
IEW CUSTOMER ID / OL	JTLET ID: 27220135 - 1	OLD OUTLET DESIGNATI	ON: 27400050	and the second s
MONITORING		VOL DISCH	ARGED THIS PERIO	DD
START	END	2437	856	GALS
/2 / 08 MO DAY YR	12 3/08 MO DAY YR 2.	CU. FT X 7.48	= GALLONS	
		EFFLUENT ME DAY THIS PER	TER READING LAS	Т
DATE BOD	TSS	DATE	BOD	TSS
12/3 60.	9 33.3			
14/17 /2	3 36	2456/8970		
12/13 576	1 72 21	30,500000		
12/30 /38	100	//	6	
120 120	1/4	\$ T	जे जो	
1		FEB 2009	6	
		2 nd Input Industrial Dept.	3/	
		(S.S		
		CASS 3 ST		
		,		
		232		
	/5	000		
		63		
		3 2000	***************************************	
	160	1000		
ertify under penalty of	law that this document ar	nd all attachments were pr	epared under my di	rection or supervi
cordance with a syster	n designed to assure that	qualified personnel prope	rly gather and evalu	ate the information
r gathering the informa	inquiry of the person or p	ersons who manage the s mitted is, to the best of my	ystem, or those per	sons directly resp
implete. I am aware tha	t there are significant pen	alties for submitting false	information, includ	iet, true, accurate
fine and imprisonment	for knowing violations.	5	more than the second se	p 00010111t)
SIGNATURE OF PRI	NCIPAL OR			
AUTHORIZED	September 2000 New State Co September 2000	PE NAME AND TITLE	TELEPHONI	NUMBER
anne o	3	SPENCE	973-278-02	272
"	CONTE	ROLLER	,	
	The state of the s		DATE 1/19/0	9
/SC FORM MD 2 DEV 2	CION		1/17/0	





DINA SPENCE CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

Regarding:

CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

Account No: AW0150, CORAL DYEING & FINISHING CORPORATION CORAL DYEING & FINISHING CORPORATION

P.O. No: PWSID No: Inv. No: 1032277

Sample Number L2833832-1

Sample Description

EFFLUENT COMPOSITE Received Temp: Iced (Y/N): Y

Samp. Date/Time/Temp 12/10/08 11:00am NA F Sampled by Customer Sampled

Parameter BIOCHEMICAL OXYGEN DEMAND TOTAL SUSPENDED SOLIDS

SM 5210B SM 2540D

Result 125 mg/1 45.0 mg/1

33.6 mg/1 2.00 mg/l Test Date, Time, Analyst 12/11/08 08:47PM LS 12/17/08 09:30AM GLE

- A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs. - Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory

- Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count
- A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
- All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.
- The test"pH lab"is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.
- Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.
- QC NELAP ID's:PA 09-00131,NJ PA166,FL E87954,NY 11223,CT PH-0768,DE PA-018,KY 90228,MD 206,EPA PA00018.Bioassay:PA 09-03574,NJ PA034,FL E87953,KS E10373,SC 89020001.
- QC STATE ID's:Wind Gap,NJ PA001,PA 48-01334;E RUTHERFORD NJ02015;Vineland NJ06005; Reading PA 06-03543.
- All samples are collected as "grab" samples unless otherwise identified.
- MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLs=customer specific permit limits.
Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

Page 1 of 1

Serial Number: 1059642

Thomas J. Hines, President

1205 Industrial Blvd., P.O. Box 514, Southampton, PA 18966-0514 Phone: 215-355-3900 Fax: 215-355-7231 www.qclaboratories.com

					,	· .			4,			TRO	EPO	u 7	ANI	3	. *						ſ	<u> </u>			· \.	Z.	
MATRIX CODES	DW. DRINKING WATER	GW: GROUND WATER	WW: WASIEWAIER	SL. SLUDGE	01L: 01L	SOL: NON SOIL SOLID	MI: MISCELLANEOUS	X: OTHER	Field pH, Temp (C or F),	DO, Cl ₂ , S. Cond. etc.										yzed By:	Date/Time:		S 0800, 4 PM IS 1600)	VT Custody Beal Number				47/1/8/4	
40: L283332	NE ONI V.	Ascorbic/HCI Vials # HCI Vials	Na ₂ S ₂ 0 ₃	Na OH/Zn acetate pHHNO.2 nH	H ₂ SO ₄ pH	NaOH pH	Unpreserved 9+7%	•	Jemp Control Cult 1	ANALYSIS REQUESTED	55/;			新心を含まれていている。 ではないできません。 ではないでもないできません。 ではないできません。 ではないできません。 ではないできません。 ではないできません。 ではないでもないできません。 ではないでもないでもないでもないでもないでもないでもないでもないでもないでもないでも	1					Field Parameters Analyzed By:	Sig:		JR CLOCK, I.E.	DELIVERY METHOD: GOCCOURIER CLIENT	COMMENTS:	-		Hazardous: yes / no	
Lab LIMS No:	I AA I)		# #			ъ Т #	1	かるた		Baux	٠.		4 (1))isk	rmat.	TE AND MIL	N THE WAY		TIME	TIME	TIME	everse sic
∆ C									- 1-	0 0 0 V	E			·						d 🗆 Forms	☐ NJ Reduced ☐ Disk	but standard fo	VATURE, DA	OATE OATE	ST ST	DATE	DATE	DATE	tion, see I
IN OF CUSTODY	(D)	lifferent)		sss: (if different)					C Number of	Te B P Code Total S C P N	MMXC									Report Format: Standard	☐ Standard + QC ☐ NJ F	Please call for pricing and availability on rush (<14-21 day) turnaround and on all but standard format	V. USE FULL LEGAL SIGN	33	1945a/	34	37	34	kample to aid completion, see reverse side.
CHAIN	•	Bill to/Report to: (if different)	A	Sampling Site Address: (if different)			P.O. No.	QC Contact	Collection	te Military Time	177							,				ility on rush (<1		RECEIVED BY	RECEIVED BY	RECEIVED BY	RECEIVED BY	RECEIVED BY	For examp
-		JL_	110	28			<u>a.</u>	Ø		Date	100%				:					ia		ing and availa	E DOCUMEN	TWE /O		TIME	TIME	TIME	
000000000000000000000000000000000000000	Labol aloi ics	Phone:									SPOWD)-	, , , , , , , , , , , , , , , , , , ,							,	Verhalffax data due	Hardcopy due:	Please call for prin	HANGES MUST BE DOCUM	DATE	Sept 1	DATE	DATE	DATE	_
	(A)	1205 Industrial Blvd. Southampton, PA 18966-0514	Client/Acct. No.	И 1		City/State/Zip	Phone/Fax	Client Contact	PROJECT	GIELD ID	TEXIVE			,			:			SAMPLED BY: (Name/Company)	0/20	18/1/	SAMPLE CUSTODY EXCH	RELINQUISHED BY SAMPLER	RELINOUISMED BY	RELINQUISHED BY	RELINQUISHED BY	RELINQUISHED BY	C





DINA SPENCE CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

Regarding: -

DINA SPENCE CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

CORAL DYEING & FINISHING CORPORATION CORAL DYEING & FINISHING CORPORATION Project No: AW0150,

P.O. No: PWSID No: Inv. No: 1033827

Sample Number L2838405-1

Sample Description EFFLUENT COMPOSITE Received Temp: 37 F

Iced (Y/N): Y

Samp. Date/Time/Temp 12/17/08 10:00am NA F

Sampled by Customer Sampled

Parameter BIOCHEMICAL OXYGEN DEMAND TOTAL SUSPENDED SOLIDS

Method SM 5210B SM 2540D

Result 63.3 mg/l 36.0 mg/1

14.0 mg/1 2.00 mg/l Test Date, Time, Analyst 12/18/08 05:55PM LS 12/24/08 09:15AM GLE

- A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.
- Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory

- Definitions: ND=not detected; NEG=negative; PUS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count

- A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

- All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.

- The test"pH lab"is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.

- Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.

- QC_NELAP_ID's:PA 09-00131,NJ PA166,FL E87954,NY 11223,CT PH-0768,DE PA-018,KY 90228,MD 206,EPA PA00018.Bioassay:PA 09-03574,NJ PA034,FL E87953,KS E10373,SC 89020001.

- OC_STATE_ID's:Wind Gap.NJ PA001_PA 48-01334:F_RITHERFORD_NJ02015:Vineland_NJ06005: Reading_PA_06-03543

PAUS4,FL E8/953,KS E103/3,SC 89020001.

- QC STATE ID's:Wind Gap,NJ PA001,PA 48-01334;E RUTHERFORD NJ02015;Vineland NJ06005; Reading PA 06-03543.

- All samples are collected as "grab" samples unless otherwise identified.

- MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLs=customer specific permit limits.

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

Page 1 of 1

Serial Number: 1061942

homos Thomas J. Hines, President

	er.				FINAL REPORT		
MATRIX CODES	GW: GROUND WATER	SO: SOIL SU: SLUDGE	SOL: NON SOIL SOLID MI: MISCELLANEOUS X: OTHER	Field pH. Temp (C or F), DO, Cl ₂ , S. Cond. etc.		alyzed By: Date/Time: IS 0800, 4 PM IS 1600) ENT Regionly Seal Number	A SINST
CHAIN OF CUSTODY Lab LIMS No. L. 28 8 4 05	Bill to/Report to: (if different)	# Na ₂ S ₂ 0 ₃ # Na OH/Zn acetate pH Sampling Site Address: (if different) # HNO ₃ pH	# H2S0, pH # NaOH pH PO. No. # 1 Unpreserved plot:	Collection 6 C Matrix Collection 6 C Matrix Date Military Time 8 P Code Total 6 C 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Verbal/fax data due: / Report Format: Standard - OC Disk Sig: Date/Time: Please call for pricing and availability on rush (<14-21 day) turnaround and on all but standard format.	RECEIVED BY A LOATE TIME COMME RECEIVED BY BY DATE TIME HAZARD S. FOR example to aid completion, see reverse side.
OCT aboratories	1205 Industrial Blvd. Phone: 215-355-3900 Southampton, PA 18966-0514 Fax: 215-355-7231		City/State/Zip Phone/Fax	FIELD ID		SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW. US RELINQUISHED BY SAMPLER Perpagnax data due: Hardcopy due: Please call for pricing and availability on rush (<14-21 or pricing and availability or pricing and availability or pricing availabili	RELINGUISHED BY 207 DATE TIME 3 RELINGUISHED BY DATE TIME 4 RELINGUISHED BY DATE TIME 5 S





DINA SPENCE CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

Regarding:

DINA SPENCE CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

Account No: AW0150, CORAL DYEING & FINISHING CORPORATION Project No: AW0150, CORAL DYEING & FINISHING CORPORATION Project No: AW0150.

P.O. No: PWSID No:

Inv. No: 1034193

Sample Number L2848208-1

Sample Description EFFLUENT COMPOSITE Received Temp: 36

Iced (Y/N): Y

Samp. Date/Time/Temp 12/23/08 08:00am NA F Sampled by Customer Sampled

Parameter BIOCHEMICAL OXYGEN DEMAND TOTAL SUSPENDED SOLIDS

Method SM 5210B SM 2540D 575 mg/1 73.3 mg/1

RLs 100. mg/] 2.00 mg/1 Test Date, Time, Analyst 12/24/08 07:31PM GAP 12/29/08 09:45AM GLE

- A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.
- Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count
- A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
- All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.
- The test"pH lab" is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.
- Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.
- QC NELAP ID's:PA 09-00131,NJ PA166,FL E87954,NY 11223,CT PH-0768,DE PA-018,KY 90228,MD 206,EPA PA00018.Bioassay:PA 09-03574,NJ PA034,FL E87953,KS E10373,SC 89020001.
- QC STATE ID's:Wind Gap,NJ PA001,PA 48-01334;E RUTHERFORD NJ02015;Vineland NJ06005; Reading PA 06-03543.
- All samples are collected as "grab" samples unless otherwise identified.
- MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLs=customer specific permit limits.
Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

Page 1 of 1

Serial Number: 1062509

Thomas J. Hines, President

Ž	1								-	,			TS	10d	∃8 .	JANI	±	-			:).		•		A	
MATRIX CODES	DW: DRINKING WATER	GW: GROUND WATER	WW: WASTEWATER	SO: SOIL	SL: SLUDGE	0IL: 0IL	SOL: NON SOIL SOLID	MI: MISCELLANEOUS	X: OTHER	Field pH. Temp (C or F).	DO, Cl ₂ , S, Cond. etc.						:				yzed By:	Date/Time;		S 0800, 4 PM IS 1600)	T Constody Beat Number			*	470101	
 Lab LIMS No: 6 2 84 8 268	AD LICE ONLY.		# Ascorbic/HCI Vials # HCI Vials	# Na OH/Zn acetate pH	# HNO ₃ PH	# H ₂ SO ₄ pH	# NaOH pH	# L Unpreserved MT		** Temp control of		551 700H									Field Parameters Analyzed By:	Sig:	at	FULL LEGAL SIGNATURE, DATE AND MILITARY TIME (24 HOUR CLOCK, I.E. 8AM IS 0800, 4 PM IS 1600)	TIME DELIVERY METHOD: □QC COURIER □ CLIENT	ENTS:	TIME	TIME	TIME Hazardous: yes / no 36	rerse side.
OF CUSTODY	Pageof	Bill to/Report to: (if different)	The state of the s		Sampling Site Address: (if different)			P.O. No.	QC Contact	O Matrix	Date Military Time 8 P Code Total 8 C 9 0 0 A P 9	7	\vdash								/ Report Format: Standard Forms	/ Standard + QC \ \text{\text{\text{NJ Reduced}}} \ \text{\tint{\text{\tinte\tint{\text{\text{\text{\text{\til\text{\texi}\tintet{\text{\ti}\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti	Please call for pricing and availability on rush (<14-21 day) turnaround and on all but standard format		RECEIVED BY	PROENED BY HOHE DATE SAN		RECEIVED BY DATE .	RECEIVED BY DATE	For example to aid completion, see reverse side
OCT aboratories		1205 Industrial Blvd. Phone: 215-355-3900	1111	J *	Address / 10 Ct 20 C		City/State/Zip	Phone/Fax	Client Contact	PROJECT	FIELD ID	FXC/POYCOW XING									SAMPLED BY: (Name/Company) Verbal/fax data due:	S S Hardcopy due:	C/P/Y	SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW. USE	RELINQUISHED BY SAMPLER	RELINGUISHED BY DATES TIME	3/6 4	RELINQUISHED BY DATE TIME	RELINQUISHED BY DATE TIME 5	





DINA SPENCE CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

Regarding:

DINA SPENCE CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

Account No: AW0150, CORAL DYEING & FINISHING CORPORATION Project No: AW0150, CORAL DYEING & FINISHING CORPORATION

P.O. No: PWSID No: Inv. No: 1035919

Sample Number L2844837-1

Sample Description EFFLUENT COMPOSITE

Received Temp: 36 F Iced (Y/N): Y Samp. Date/Time/Temp 12/30/08 08:00am NA F

Sampled by Steven A. Major, QC Laboratories

BIOCHEMICAL OXYGEN DEMAND TOTAL SUSPENDED SOLIDS

Method SM 5210B SM 2540D Result. 138 mg/l 175 mg/1 RLs 24.9 mg/1 2.00 mg/1

Test Date, Time, Analyst 12/31/08 03:34PM LS 01/05/09 09:15AM GLE

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs. Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory

- Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count

- A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

- All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.

- The test"pH lab" is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.

- Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.

- QC NELAP ID's:PA 09-00131,NJ PA166,FL E87954,NY 11223,CT PH-0768,DE PA-018,KY 90228,MD 206,EPA PA00018.Bioassay:PA 09-03574,NJ PA034,FL E87953,KS E10373,SC 89020001.

PA034,FL E87953,RS E10373,SL 89020001.

- QC STATE ID's:Wind Gap,NJ PA001,PA 48-01334;E RUTHERFORD NJ02015;Vineland NJ06005; Reading PA 06-03543.

- All samples are collected as "grab" samples unless otherwise identified.

- MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLs=customer specific permit limits.

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

Page 1 of 1

Serial Number: 1064051

homos Thomas J. Hines, President

									70	∪a⊐	a T	FIND	į							1	γ		_	(\(\script{\sint\sint\sint\sint\sint\sint\sint\sint	1
MATRIX CODES	DW: DRINKING WATER GW: GROUND WATER WW: WASTEWATER	SO: SOIL	OIL. OIL	MI: MISCELLANEOUS	X. OTHER	Field pH, Temp (C or F),	DO, Cl ₂ , S. Cond. etc.									yzed By:	Date/Time:		S 0800, 4 PM IS 1600)	T Custody Saal Number	\ \ \		7.7.7.	MINITA	**************************************
LAD LIMS NO: L 2844 837.	AB USE ONL	# Na ₂ S ₂ O ₃	# H2&64 pH	\vdash		# Temp control arotridan Tribiliced	ANALYSIS REQUESTED	4004.755								Field Parameters Analyzed By:	Sig.	nat.	SE FULL LEGAL SIGNATURE, DATE AND MILITARY TIME (24 HOUR CLOCK, I.E. 8AM IS 0800, 4 PM IS 1600)	TIME DELIVERY METHOD: DOC COURIER DCLIENT	TIME COMMENTS:		TIME	TIME Hazardous: yes/no	verse side.
CHAIN OF CUSTODY	Bill to/Report to: (if different)	Sampling Site Address: (if different)		P.O. No.	QC Contact	mber of Containers	≨ a.	1 / mm/ also see								/ Report Format: Standard Forms	/ Standard + QC U NJ Reduced Disk	lability on rush (<14-21 day) tumaround and on all but standard format	ENTED BELOW. USE FULL LEGAL SIGNATURE, DAT	HECEIVED BY	19X 11193	THERE & LOUIS PERSON	RECEIVED BY	RECEIVED BY DATE	For example to aid completion, see reverse side
(C) OC Laboratories	1205 Industrial Blvd. Southampton, PA 18966-0514 Hax: 215-355-7231	Client/Acct. No. Colling / VV VV VV Address	City/State/Zip	Phone/Fax	Client Contact	PROJECT	HELD ID	LTXIVII) COMPOSITE								SAMPLED BY: (Name/Company) Verbal/fax data due:	> 12 C Hardoopy due:	Please call for pricing and availability on rush (<14-21	SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW. US	RELINQUISHED BY SAMPLER PATE PATE TIME THE SAMPLER T	7	1193.	RELINQUISHED BY DATE V TIME 4	RELINQUISHED BY DATE TIME 5	

N. J. TELEPHONE (973) 278-0272 (973) 278-0276

N. Y. C. TELEPHONE (212) 736-4364 FAX NUMBER (973) 278-9490

Coral Dyeing & Finishing Corp.

555 EAST 31ST STREET
POST OFFICE BOX 2067
PATERSON, NEW JERSEY 07509

1/19/2009

PASSAIC VALLEY SEWERAGE 600 WILSON AVE. NEWARK, NJ 07105

TEL.:

973-817-5714

FAX:

973-344-4876

Dear Bruce,

As of today I did not receive water bill for the month of December 2008.

Reading from water meter:

11/30/2008 12/31/2008 680487

714794

34307

Total water consumtion for December 2008

34307

Thank you.

Yours truly, Dina Spence - Controller





CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

Regarding:

DINA SPENCE CORAL DYEING & FINISHING CORPORATION PO BOX 2067 PATERSON, NJ 07509

CORAL DYEING & FINISHING CORPORATION CORAL DYEING & FINISHING CORPORATION

P.O. No: PWSID No:

Inv. No: 1031051

Sample Number L2828997-1	Sample Description EFFLUENT COMPOSITE Received Temp: 37 F	Iced (Y/N): Y	•		Samp. Date/Time/Temp 12/03/08 10:00am NA F	Sampled by Customer Sampled	•
Parameter CADMIUM COPPER NICKEL LEAD ZINC MERCURY BIOCHEMICAL C TOTAL SUSPEND	EPA EPA EPA EPA EPA EPA DXYGEN DEMAND SM	Chod A 200.8 A 200.8 A 200.8 A 200.8 A 200.8 A 245.1 5210B 2540D		Result ND mg/1 0.225 mg/1 ND mg/1 0.00490 mg/1 0.123 mg/1 ND mg/1 60.9 mg/1 33.3 mg/1	RLs 0.00400 mg/l 0.00400 mg/l 0.00400 mg/l 0.00400 mg/l 0.0200 mg/l 0.000200 mg/l 31.0 mg/l 2.00 mg/l	Test Date, Time, Ana 12/12/08 01:26PM GJH 12/12/08 01:26PM GJH 12/12/08 01:26PM GJH 12/12/08 01:26PM GJH 12/12/08 08:40PM CMC 12/04/08 08:03PM GAP 12/08/08 09:45AM GLE	

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs. Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory

- Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count
- A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
- All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.
- The test*pH lab"is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.
- Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.
- QC NELAP ID's:PA 09-00131,NJ PA166,FL E87954,NY 11223,CT PH-0768,DE PA-018,KY 90228,MD 206,EPA PA00018.Bioassay:PA 09-03574,NJ PA034,FL E87953,KS E10373,SC 89020001.
- QC STATE ID's:Wind Gap,NJ PA001,PA 48-01334;E RUTHERFORD NJ02015;Vineland NJ06005; Reading PA 06-03543.
- All samples are collected as "grab" samples unless otherwise identified.
- MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLs=customer specific permit limits.
Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

Page 1 of 1

Serial Number: 1057874

nomos Thomas J. Hines, President

													1 A 1.4													7	X.
MATRIX CODES	DW: DRINKING WATER GW: GROUND WATER	WW: WASTEWATER	SO: SOIL	OIL: OIL	SOL: NON SOIL SOLID	X: OTHER	Field pH, Temp (C or F).	DO, Cl ₂ , S. Cond. etc.										alyzed By:	Date/Time: _	•	IS 0800, 4 PM IS 1600)	12/13/08			7 , 1 , 6 , 1	47011214	
£66888		nais # HCI Viais	tate pH		Poto	>	D lot	ANALYSIS REQUESTED	CU+Ha=11/13	28 0							•	Field Parameters Analyzed By:			UR CLOCK, I.E.	□ FEDEX □ OTHER	TS:		76	Hazardous: yes/no	
1	LAB USE ONLY:	Ascorbic/HCi Viais	Na OH/Zn acetate pH	H ₂ SO ₄ pH	NaOH pH Unpreserved	Hol pH	Temp gontrol	ANALYSI	13. C.	155									Sign		AILITARY TIME	U UPS FEDEX	COMMENTS		Ţ	Hazardous	
Lab LIMS No:	LAB	# #	# #	* *	# #	#	# **		108	482									şk	mat.	TE AND I			TIME	TIME	TIME	everse :
<u>}</u>							ļ	2 0 0 H										□ Form	educed 🗆 Disk	day) tumaround and on all but standard format	ATURE, DA	がなか	で の の の の の の の の の の の の の	DATE	DATE	DATE	ple to aid completion, see reverse side
CHAIN OF CUSTODY							mber o	Total S C 1 2 N			7							(**)	QC □ NJ Reduced	nd and on all b	EGAL SIGN	<i>'</i>	/			•	l complet
N OF C	Page C		(if different)	-			G C Matrix		1	.	JAM							Report Forma		day) tumarou	SE FULL L		1/ K				nple to aic
CHAIN	Page		Sampling Site Address:		P.O. No.	QC Contact	Collection	Date Military Time	app >	90	8							/-		lity on rush (<14-21	TED BELOW. U	1	MGGRAD BY	RECEIVED BY	RECEIVED BY	RECEIVED BY	For exam
		1	S		P.C	Ö		Oat	THE STATES		13.00				•			· /-		g and availabi	OCUMEN'	130	TIME TO	TIME	TIME	TIME	-
OC Laboratories	Phone: 215-355-3900 Fax: 215-355-7231						=		1/ST/AP									Verbal/fax data due:	Hardcopy due:	Please call for pricing and availability on rush (<14-21	SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW. U	S. Co	MAN AND AND AND AND AND AND AND AND AND A	DATE	DATE	DATE	
Labor	llvd. 18966-0514	I was							1/10/1/								. •)	ODY EXCHAN	יייייי ליייייייייייייייייייייייייייייי	17				
C	1205 Industrial Blvd. Southampton, PA 18966-0514	Client/Acct. No	Address	į	City/State/Zip Phone/Fax	Client Contact	PROJECT	FIELD ID	1/2/24						,			SAMPLED BY: (Name/Company)	ンシング	1/1/2///	SAMPLE CUST		RELINQUISHED BY	RELINQUISHED BY	RELINQUISHED BY	RELINQUISHED BY	
. ட		_لِـ				: .	cm) (<u>(19</u>		<u> 3</u>	<u> </u>	Or:	 (<u>(</u>)		<u>=4 2</u>	<u>}</u> u	ιά \	<u>/)</u>		ū	Ē +-	E 0	2 %	<u> </u>	<u> œ</u> v	ď